

## Projector P1525

# Crystal clear in any room

- Superb clarity of 1080p Full HD with 4,000 lumens high brightness.
- LumiSense+ enables intelligent ambient light optimization.
- WirelessHD\* capability frees your from cable.
- Hidden dongle design that makes projector look neat and elegant.



RESOLUTION



BRIGHTNESS



20000:1  
DYNAMIC BLACK



HDMI 3D



WIRELESS  
PROJECTION



HIDDEN DONGLE  
DESIGN



BUILT-IN  
SPEAKER



LUMISENSE+



ColorBoost 3D



ColorSafe II



ECO  
PROJECTION

## Product Specifications

<b>Model name</b>	<b>Acer P1525</b>
<b>Projection system</b>	DLP®
<b>Resolution</b>	Native 1080p (1,920 x 1,080) Maximum WUXGA (1,920 x 1,200)
<b>Aspect ratio</b>	16:9 (Native), 4:3
<b>Throw ratio</b>	100"@2.5m (1.15 ~ 1.50)
<b>Contrast ratio</b>	20,000:1
<b>Brightness</b>	4,000 ANSI Lumens (Standard), 3,200 ANSI Lumens (ECO)
<b>Lamp life</b>	3,000 Hours (Standard) 4,000 Hours (ECO) 6,000 Hours (ExtremeEco)*
<b>Projection lens</b>	F = 2.59 ~ 2.87, f = 16.88mm ~ 21.88mm, Manual Zoom & Focus
<b>Keystone correction</b>	+/-40 degrees (Vertical), Manual& Auto
<b>Noise level</b>	32 dBA (Standard mode), 27 dBA (ECO mode)
<b>Input interface</b>	Analog RGB/Component Video (D-sub) x 2 Composite Video (RCA) x 1 S-Video (Mini DIN) x 1 HDMI/MHL (Video, Audio, HDCP) x 1 HDMI/MHL (Video, Audio, HDCP, Internal) x 1 PC Audio (Stereo mini jack) x 2
<b>Output interface</b>	Analog RGB (D-sub) x 1, PC Audio (Stereo mini jack) x 1, DC Out (5V/1A, USB Type A) x 1, DC Out (5V/1A, USB Micro-B, Internal Plug) x 1
<b>Control interface</b>	USB (Mini-B) x 1 RS232 (D-sub) x 1
<b>Dimensions</b>	308 x 211 x 86 mm (12.1" x 8.3" x 3.4")
<b>Weight</b>	2.5 Kg (5.4 lbs)

## Feature Highlights

### Expressive display

- 1080P Full HD resolution
- 4,000 ANSI lumens
- Dynamic Black 20,000:1
- Acer LumiSense+
- Acer ColorBoost3D
- Acer ColorSafe II
- HDMI 3D with 144Hz 24p

### Enhanced usability

- Wireless projection<sup>1</sup>
- WirelessHD<sup>2</sup>
- HiddenDongle design
- 10W built-in speaker
- Instant resume
- Instant pack


### Installation flexibility

- Keystone correction up to 40 degrees
- Auto keystone correction
- Auto ceiling-mount
- Top-loading lamp

### Eco-friendly functionality

- Acer EcoProjection
- Lamp life up to 6,000 hours in ExtremeEco mode

1 Optional Acer WirelessCAST is required.  
2 Optional Acer WirelessHD Kit is required



### Optional Accessory



### Acer LumiSense+

Equipped with ambient light sensor, projector can detect ambient lighting conditions and Acer LumiSense+ then dynamically optimizes the projected image's brightness levels and color saturation accordingly. In addition to image optimization based on ambient light, LumiSense+ has clever content-aware technology which also analyzes projected content frame by frame and dynamically adjusts image visibility to the optimum level.



### ColorBoost3D

ColorBoost3D is a combination of three technical advancements, a 6-segment color wheel design with DLP™ chip and lamp power control capability, that improve the optical color performance while reducing color shifts and brightness decay, for both 2D and 3D visuals. The advanced technology provides brighter, more realistic images and color fidelity.

### About Acer

Since its founding in 1976, Acer has broken barriers between people and technology, enabling people to explore beyond limits. Acer ranks No. 2 for notebook PCs globally (Gartner data 2011). The Acer Group employs 8,000 people across the globe, and revenues for 2011 reached US\$15.7 billion.

Acer's channel business model is instrumental to the company's success, while its multi-brand approach integrates Acer, Gateway, and Packard Bell brands in worldwide markets. Acer designs environmentally friendly products and, with its vendors, has established a green supply chain.

Acer is proud to be a Worldwide Partner of the Olympic Movement. That includes supporting the Vancouver 2010 Olympic Winter Games and London 2012 Olympic Games.

More information is at [www.acer.com](http://www.acer.com).

**acer**  
explore beyond limits™