



2015 Yard Master Series Product Brochure

Yard Master Series of outdoor projection screens is ideal for picnics, barbecues or virtually any other outdoor projector presentation imaginable



Member
infoComm
INTERNATIONAL



Yard Master Series

Yard Master Series of outdoor projection screens is ideal for picnics, barbecues or virtually any other outdoor projector presentation imaginable



- Ideal for any outdoor activities, such as camping, parks or movies in the backyard
- The outdoor DynaBrite Material is durable 24/7, rain or shine
- Available in diagonal sizes 100", 120", 150", 180" and 200" in 16:9 aspect ratio
- Heavy-duty frame construction for all types of weather
- Setup and Takedown is simple and quick with portable carrying bag for easy storage/transportation
- Wheeled storage case included on 150", 180", and 200" models.
- Kit includes ropes and 8 stakes for wind stability



Yard Master Series

Model	Screen Diag. & Aspect Ratio	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	N.W. (lbs.)	G.W. (lbs.)	N.W. (Kgs)	G.W. (Kgs)	Packing Dimension (LxHxW)	Gain	Screen Material	Carrying Bag/ Case Included
OMS100H	100"(16:9)	49.0	87.0	124.5	221.0	32.2	35.7	15.0	16.2	41"x4.5"x18.1"	1.1	DynaBrite	Bag
OMS120H	120"(16:9)	59.0	104.7	150.1	265.9	58.4	61.7	26.5	28.0	41"x4.5"x18.1"	1.1	DynaBrite	Bag
OMS150H	150"(16:9)	73.6	130.7	186.9	332.0	74.3	81.6	33.7	37.0	51.6"x8.5"x19.3"	1.1	DynaBrite	Case
OMS180H1	180"(16:9)	88.3	156.9	224.3	398.5	83.6	88.6	37.9	40.2	52"x8.27"x18.9"	1.1	DynaBrite	Case
OMS200H1	200"(16:9)	98.0	174.0	248.9	442.0	102.7	109.2	46.6	49.6	57.4"x10.3"x19.3"	1.1	DynaBrite	Case

Yard Master Dimensions Table

Model	Screen Diag. & Aspect Ratio	View Width (A)	L/R Border Width (A1)	A2	View Height (B)	Top Border (B1)	Leg Height (B2)	Overall Height (B3)	Base Foot Length (C)	Basefoot to Pole (C1)	Frame Diameter (C2)	Rope (D & D1)	T Stake Rope (E)	J Stake Frame (E1)
OMS100H	100"(16:9)	2230	150	2530	1250	140	600	2130	970	670	φ32	3500	265	255
OMS120H	120"(16:9)	2637	140	2917	1483	160	600	2403	970	670	φ32	3500	265	255
OMS150H	150"(16:9)	3320	140	3600	1868	150	910	3078	1000	690	φ38	4500	265	255
OMS180H1	180"(16:9)	3985	175	4335	2242	160	910	3472	1000	690	φ38	4500	265	255
OMS200H1	200"(16:9)	4428	175	4675	2491	160	1153	3648	1300	850	φ38	5500	265	255

Unit: mm

Model	Screen Diag. & Aspect Ratio	View Width (A)	L/R Border Width (A1)	A2	View Height (B)	Top Border (B1)	Leg Height (B2)	Overall Height (B3)	Base Foot Length (C)	Basefoot to Pole (C1)	Frame Diameter (C2)	Rope (D & D1)	T Stake Rope (E)	J Stake Frame (E1)
OMS100H	100"(16:9)	87.8	5.9	99.6	49.2	5.5	23.6	83.9	38.2	26.4	φ1.3	137.8	10.4	10
OMS120H	120"(16:9)	103.8	5.5	114.8	58.4	6.3	23.6	94.6	38.2	26.4	φ1.3	137.8	10.4	10
OMS150H	150"(16:9)	130.7	5.5	141.7	73.5	5.9	35.8	121.2	39.4	27.2	φ1.5	177.2	10.4	10
OMS180H1	180"(16:9)	156.9	6.9	170.7	88.3	6.3	35.8	136.7	39.4	27.2	φ1.5	177.2	10.4	10
OMS200H1	200"(16:9)	174.3	6.9	184.1	98.1	6.3	45.4	143.6	51.2	33.5	φ1.5	216.5	10.4	10

Unit: inch

Note: Data Error ±1". The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

