

3,200 Lumens XGA DLP Projector



PJD5255



The brand new LightStream Projector PJD5255 integrates its elegant style and thoughtfully intuitive design, offering HDMI connectivity, high image and sound quality. With SuperColor™ and SonicExpert™ technology respectively delivering astonishing pictures and quality sound, the 3,200-lumen PJD5255 is equipped with native XGA resolution, a 15,000:1 contrast ratio with DynamicEco™, as well as extensive analog connectivity. DynamicEco™ further reduces power consumption by up to 70% and extends the lamp life by up to 10,000 hours.



Premium Curved Design With Intuitive Keypad

With its matte hairline finish and curved edges, this LightStream Projector stands out from the competition. A tactile keypad provides ease of use with raised and concave buttons, plus a central reference button. These assist in making set up easier in dark environments or if the projector is ceiling mounted.



SuperColor™ Best in Class Colour Accuracy

ViewSonic's exclusive SuperColor™ Technology delivers superior colour range than competitor projectors, ensuring that users enjoy more realistic and accurate colours. With an exclusive colour wheel design and dynamic lamp control capabilities, SuperColor™ Technology projects images with true-to-life colour performance in all scenarios, also reducing eye fatigue in bright and dark images.



SuperColor™ projectors offer color accuracy levels



Conventional projectors offer low-quality images



SonicExpert™ Clear, Comfortable and Louder Sound

Following groundbreaking and exclusive speaker developments - transducer and chamber re-design - LightStream projectors deliver superior audio performance than competitor projectors. The compact yet powerful speakers sound stronger and enable sound to travel further, powerful enough to fill your meeting room with wall-to-wall sound.



HDMI for One-Cable Connectivity to HD Devices

The best and easiest way to connect to most modern devices is through an HDMI (High Definition Media Interface) cable. HDMI carries both video and sound thus limiting the requirement to attach an additional audio cable, as is often the case with other input options.



Bright Images for Any Environment

Packed with 3,200 lumens the PJD5255 is guaranteed to produce bright images in any environment – even in rooms with high ambient light. The high contrast ratio of 15,000:1 also ensures that dark and bright areas are more black and white and less grey in appearance.

Easy-of-Use Pre-Set Colour Modes

Providing 5 pre-set colour modes, users can choose the best one to suit their material. These 5 modes are: Brightest Mode for environments where extra-high brightness is required; Dynamic Mode for presentations with a lot of text; Standard Mode for matching PC or notebook colour; ViewMatch Mode for general viewing; Movie Mode for watching movies with better saturation in a dark environments.

Normal



ViewMatch® Color Mode





My Button

Quickly Access Your Favourite Features With “My Button”

Finding a function through the on-screen menu can be time-consuming. The “My Button” button on the remote control is a programmable shortcut button that can be user-programmed to launch any desired function.



Auto Power On / Off

With 'Auto Power On' enabled, once a VGA cable is connected and signal detected, LightStream projectors will power on automatically with effortless start-up. When no signal is detected, the projector will automatically power off after a user-defined amount of time – saving electricity cost, reducing energy consumption and extending the life of the projector.



3D Compatible for Exciting Visual Effects

You'll have amazing 120Hz 3D capabilities at your disposal with this LightStream Projector. All that's required to unlock this stunning 3D are optional ViewSonic 3D active shutter glasses (PGD-350) and a 3D source. Unleash a vivid 3D experience with the ViewSonic LightStream projectors today.

Technical Specifications

PRODUCT SPECIFICATION	Resolution	1024(H) x768(V)
	Brightness	3,200 lm
	Contrast Ratio	15,000:1
	Lamp Life (Normal/ ECO/ Dynamic)	5,000/6,000/10,000 hrs
	Throw Ratio	1.86 ~ 2.04 (53"±3% @ 2m)
	Optical Zoom	1.1x
	Digital Zoom	0.8X~2.0X
	Screen Size (inch)	30 ~300 Diagonal
	Projection Offset	100%+/-5%
	Display Colours	1.07 Billion Colors (30 bits per color)
	Keystone	+40~-40°, vertical (Manual)
	Noise min (Normal / Eco)	34 dB (Max) / 29 dB (ave)
	Speaker	2W x 1
INPUT CONNECTIVITY	HDMI	1.4a x 1
	VGA-in	DB-15 x2 ; Supports Component Video via DB-15
	Component Input	Share with RGB x2
	S-Video	Mini-Din 4 pin x1
	Composite Input	RCA-1 x1
	Audio-in (3.5mm)	3.5mm Mini-Mono Jack x1
	Audio-in (RCA pair)	N/A
	USB Type A	N/A
	USB Type B	N/A
	Mini USB	x1 (For Mouse control & firmware upgrade)
	Microphone in (3.5mm)	N/A
	SD Card reader	N/A
OUTPUT CONNECTIVITY	VGA-out	DB-15 x1
	Audio-out (3.5mm)	3.5mm Mini-Mono Jack x1
CONTROL	RS232 (9 pin)	DB-9 (x1); (Wired remote function)
	Network Mangment (LAN cable)	N/A
	12V Power Trigger	N/A
DIMENSIONS AND POWER	Dimension (WxDxH)	12.44" x 8.98" x 4.08" / 316mm x 228mm x 103.7mm

Net Weight	4.63 lb / 2.1 kg
Power Consumption	< 0.5W.(Under condition: Standby power saving ON); 265 W Max

SUPPLIED

ACCESSORIES

Power cord	1.8m, black x1
VGA cable	1.8m, black x1
HDMI cable	N/A
Remote Control	x1 (with batteries, without laser)
Quick Start Guide & DVD	x1 (one sheet version)
Carry bag	N/A

LANGUAGES

On Screen Display	English, France, Spanish, Thai, Korea, Germany, Italian, Russian, Swedish, Dutch, Polish, Zech, Turkish, Portuguese, Finnish, Indonesian, India, Arabic, ไทย, ฝรั่งเศส, สเปน, ไทย, เกาหลี, เยอรมนี, อิตาลี, รัสเซีย, สวีเดน, เนเธอร์แลนด์, โปแลนด์, เยอรมนี, ตุรกี, โปรตุเกส, ฟินแลนด์, อินโดนีเซีย, อินเดีย, อาหรับ, ไทย, ฝรั่งเศส, สเปน, ไทย , Vietnam
-------------------	---

REGULATIONS

Standard	CB, TUV-GS, UL/cUL, FCC (including ICES-003), CE,C-Tick Mexico Energy test/Registration, EAC, UkrSEPRO/EMC DOC, UL COC, TUV-S Mark(Argentina), PSB, KCC, KC, SASO, CCC WEEE, RoHS, REACH, SVHC, ErP
----------	---

WARRANTY

**Warranty offered may differ from market to market

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at **www.viewsoniceurope.com**

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.