

Key Features

- True 4K HDR immersive visual experience
- Cinema SuperColor+™ Technology with 125% Rec.709 wide colour gamut
- 3rd generation LED technology with 30,000-hour lifespan
- Smart connectivity via Wi-Fi,
 Bluetooth, and USB-C
- Custom-built speakers by Harman Kardon





Product **Description**

Combining true 4K UHD resolution with HDR/HLG support, advanced 3rd generation LED technology, and smart capabilities in a portable design, the X11-4K delivers an immersive cinematic audiovisual experience from anywhere in your home. With an easy-carry handle, it can be moved from room to room and even outdoors for backyard parties. Setup is effortless with instant autofocus, H/V keystone and 4 corner adjustments enabling side projection, and a short throw lens that delivers a 100" screen from just 1.77m away. Experience crystal clear visuals in true 4K UHD resolution, cinematic colours covering 125% Rec.709, and exceptional sound quality through integrated speakers customised by Harman Kardon. Add even more fun with smart connectivity features such as Wi-Fi for wireless screen mirroring to get your phone up on the big screen, Bluetooth for flexible audio options, and USB-C for direct single-cable streaming from Nintendo® Switch.









- 1. Power Button & Volume Control
- 2. LED Indicator
- 3. IR & Auto Focus Camera
- 4. Adjustment Foot
- 5. Lens/Motorised Lens Cover
- 6. Speakers
- 7. Leather Handle
- 8. Smart Cover
- 9. AC In
- 10. Joystick
- 11. S-PDIF
- 12. Audio In
- 13. Audio Out
- 14. HDMI 2.0 / HDCP 2.2
- 0 04
 - 15. HDMI 2.0 / HDCP 2.2 (ARC)
 - 16. USB-C (5V/2A)
- 17. Micro SD
- 18. LAN
- 19. USB Reader (5V/1.5A)

1 of 4 12/28/2023, 5:23 PM

Visit Us www.viewsonic.com

2 of 4 12/28/2023, 5:23 PM

261x271x146mm

1 (1m)

Lens:

SPECIFICATION OTHERS

3840x2160 100-240V+/- 10%, Native Resolution: Power Supply Voltage: 50/60Hz(AC in)

Brightness: 2400 (LED Lumens)

F=1.8, f=8.5mm

Normal: 115WStandby: Power Consumption: 3000000:1 Contrast Ratio: <0.5W

Display Colour: 1.07 Billion Colours Operating Temperature: 0~40°C Light Source Type: LED Carton: Color

Light Source Life (hours) with Net Weight: 30000 4.5kg Normal Mode:

Gross Weight: 7.5kg Lamp Watt: RGBB LED Dimensions (WxDxH) with

Projection Offset: 100%+/-5%

402x370x295mm Packing Dimensions:

Throw Ratio: 8.0 English, French, Spanish, Thai, Korean, Optical Zoom: Fixed German, Italian,

Russian, Swedish, Digital Zoom: 0.8X-1.0X Dutch, Polish, Czech, T-Chinese, S-Chinese, 30"-200" Image Size: OSD Language: Japanese, Turkish,

Portuguese, Finnish. 0.5m-3.5m Throw Distance: Indonesian, India, (100"@1.77m) Arabic, Vietnamese,

Adjustment Foot:

Greek, Hungarian, Total Keystone: H:+/-40°, V: +/-40° 24 languages 26dB

Audible Noise (Normal): English, S-Chinese, T-Chinese, Indonesian, 25dB Audible Noise (Eco):

Finish, French, Total 16GB (12GB German, Italian, Local Storage:

available storage) Japanese, Korean, Polish, Portuguese, User Guide Language: Input Lag: 37ms

Russian, Spanish, Swedish, Turkish, VGA(640 x 480) to Arabic, Czech, Thai, Resolution Support: 4K(3840 x 2160) Vietnamese, total 20

USB-C Cable:

languages 480i, 480p, 576i, 576p,

HDTV Compatibility: 720p, 1080i, 1080p, STANDARD ACCESSORY

Power Cord: Horizontal Frequency: 15K-135KHz

Vertical Scan Rate: 23-120Hz Remote Control: 1 (w/ backlit)

INPUT

QSG: Yes 2 (HDMI 2.0, HDCP

HDMI: 1.4/2.2)**OPTIONAL ACCESSORY**

USB Type C: 1 (5V/2A) Wall/Ceiling Mount: PJ-WMK-007

Audio-in (3.5mm): 1

Audio-in (Bluetooth): 1 (BT4.2)

USB Type A: 2(USB2.0 Reader x2)

Micro SD (256GB, SD Card:

2160p

SDXC)

RJ45 Input (Internet):

Wifi Input: 1 (5Gn)

OUTPUT

Audio-out (3.5mm):

Audio-out (Bluetooth): 1 (BT4.2)

1(Share with HDMI Audio-out (HDMI ARC):

Input)

S/PDIF:

8W Cube x2(tweeter + Speaker:

woofer) x2

3 of 4 12/28/2023, 5:23 PM ViewSonic X11-4K 4K HDR Short Throw Smart Portable LED Projecto...

CONTROL^{A (Power)}:

2 (USB2.0 - 5V/1.5A x2, share with USB A Input)

USB Type A (Services):

1 (share with USB A Input)

Copyright © ViewSonic Corporation 2000-2023. All rights reserved.

4 of 4