High Resolution 16:10 (WXGA) 3,300 Lumens Value Business Projector



PJD5555W



The LightStream PJD5555w makes a big statement with its elegant style, widescreen display and price defying audiovisual performance. Its curvaceous design, which includes a tactile keypad and non-slip foot pads, also presents an intuitive and user-friendly interface. Exclusive SuperColor™ and SonicExpert™ technologies provide some of the best visual and audio performance in their class. The PJD5555w boasts HDMI connectivity for convenient single-cable transfer of image & sound from numerous HD devices. High resolution 16:10 WXGA (1280 x 800) also ensures widescreen content can be displayed without any image distortion. The 3,300-lumen lamp with a 20,000:1 contrast ratio, delivering clear and bright images for small to medium meeting rooms or classrooms. Supporting 2 x VGA, Composite Video, S-Video, and 1 x VGA output, as well as Audio in/out, Mini USB and RS232, this projector has flexible connectivity with analog-based equipment. DynamicEco™ further reduces power consumption by up to 70% and extends the lamp life



Premium Curved Design With Intuitive Keypad

With its matte hairline finish and curved edges, this LightStream Projector stands out from the competition. A tactile keypad provides ease of use with raised and concave buttons, plus a central reference button. These assist in making set up easier in dark environments or if the projector is ceiling mounted.



SuperColor™ Best in Class Colour Accuracy

ViewSonic's exclusive SuperColor™ Technology delivers superior colour range than competitor projectors, ensuring that users enjoy more realistic and accurate colours. With an exclusive colour wheel design and dynamic lamp control capabilities, SuperColor™ Technology projects images with true-to-life colour performance in all scenarios, also reducing eye fatigue in bright and dark images.



color accuracy levels



Conventional projectors offer low-quality images



SonicExpert™ Clear, Comfortable and **Louder Sound**

Following groundbreaking and exclusive speaker developments - transducer and chamber re-design -LightStream projectors deliver superior audio performance than competitor projectors. The compact yet powerful speakers sound stronger and enable sound

to travel further, powerful enough to fill your meeting room with wall-to-wall sound.




HDMI for One-Cable **Connectivity to HD Devices**

The best and easiest way to connect to most modern devices is through an HDMI (High Definition Media Interface) cable. HDMI carries both video and sound thus limiting the requirement to attach an additional audio cable, as is often the case with other input options.



Widescreen Brilliance

With high resolution 16:10 WXGA (1280 x800) display, this projector is the affordable solution for modern day widescreen devices. Whether connecting it to a widescreen notebook in the conference room, or watching 720P HD content in the classroom, distortion-free images with matching aspect ratio are guaranteed. It is also backward compatible with 4:3 content.





Bright Images for Any Environment

Packed with 3,300 lumens the PJD5555w is guaranteed to produce bright images in any environment - even in rooms with high ambient light. The high contrast ratio of 20,000:1 also ensures that dark and bright areas are more black and white and less grey in appearance.

Easy-of-Use Pre-Set Colour Modes

Providing 5 pre-set colour modes, users can choose the best one to suit their material. These 5 modes are: Brightest Mode for environments where extra-high brightness is required; Dynamic Mode for presentations with a lot of text; Standard Mode for matching PC or notebook colour; ViewMatch Mode for general viewing; Movie Mode for watching movies with better saturation in a dark environments.

Normal



ViewMatch

Color Mode







Quickly Access Your Favourite Features With "My Button"

Finding a function through the on-screen menu can be time-consuming. The "My Button" button on the remote control is a programmable shortcut button that can be user-programmed to launch any desired function.

Auto Power On / Off

With 'Auto Power On' enabled, once a VGA cable is connected and signal detected, LightStream projectors will power on automatically with effortless start-up. When no signal is detected, the projector will automatically power off after a user-defined amount of time – saving electricity cost, reducing energy consumption and extending the life of the projector.





You'll have amazing 120Hz 3D capabilities at your disposal with this LightStream Projector. All that's required to unlock this stunning 3D are optional ViewSonic 3D active shutter glasses (PGD-350) and a 3D source. Unleash a vivid 3D experience with the ViewSonic LightStream projectors today.

Technical Specifications

Product

Specification Resolution WXGA (1280 x 800)

> Brightness (ANSI Lumens) 3,300 Contrast (with Dynamic 20,000:1

Contrast Ratio)

Lamp Hour (Normal / Eco /

DynamicEco)

Throw Ratio in Meters (Wide ~ $1.5 \sim 1.65$

N/A

Tele)

Optical Zoom 1.1x Digital Zoom 2.0x

Screen Size 30" ~ 300" **Projection Offset** 100% +/- 5%

Display Colours 1.07 Billion Colours +/- 40° (Vertical) Keystone

Noise min (Normal / Eco) 32dB/27dB 2W x 1

Speaker

Input Connectivity HDMI In 1

> VGA-in 2

Component Input shared with VGA-in

S-Video 1 Composite Input 1 Audio-in (3.5mm) Audio-in (RCA pair) NA

| | USB Type B | NA |
|-------------------|--|-----------------------------|
| | Mini USB | 1 (Firmware, mouse control) |
| | Microphone in (3.5mm) | NA |
| | SD Card reader | NA |
| Output | | |
| Connectivity | VGA-out | 1 |
| | Audio-out (3.5mm) | 1 |
| Control | RS232 (9 pin) | 1 |
| | Network Mangment (LAN cable) | NA |
| | 12V Power Trigger | NA |
| PC / Mac | Video/Audio Streaming | NA |
| | Extend/Mirror display | NA |
| | 4-in-1 Spilt screen | NA |
| | 1 to many projection | NA |
| iOS / Android | DOC file streaming (read only) | NA |
| | Live CAM | NA |
| | Live Draw | NA |
| | Clound service (Drop box) | NA |
| | WiFi (single band or dual band) | NA |
| | Miracast | NA |
| | DLNA | NA |
| | Bridge to ethernet | NA |
| | Video/Media streaming | NA |
| Advanced Features | 3D Compatible (optional PGD- 350 3D glasses required) | Yes |
| | Interactive (optional PJ-PEN- 003 required) | NA |
| | Low Power Standby | <0.5W |
| | 3 sec. on / 0 sec. off | Yes |
| | Wireless Display | NA |
| | Network Control | NA |
| | Network Display | NA |
| | Auto Keystone | NA |
| | Microsoft Office Viewer | NA |
| | Sleep Timer | Yes |
| | Presentation Timer | Yes |

 $\mathsf{N}\mathsf{A}$

USB Type A

Password Protection Yes
Security Bar Yes
Keypad Lock Yes
Customized Start-up Screen NA

DynamicEco / Movie mode /

Contrast

Yes / Yes / Yes

Dimensions and

Power

Dimension (WxDxH) 316 x 228 x 103.7 mm

Net Weight 2.2kgs

Power Source $100V \sim 240V / 50 \sim 60Hz$

Power Consumption 265W (Max)

Supplied

Accessories

Power cord 1
VGA cable 1
HDMI cable NA
Remote Control (with batteries) 1
Cable cover NA
Quick Start Guide & CD Yes
Carry bag NA

Optional

Accessories

PGD-350 (3D glasses x1) Yes

PJ-PEN-003 (2x interactive pens and infrared module)

PJ-WMK-401 (wall mount kit for NA

Ultra Short Throw projectors)

PJ-WPD-200 (USB WiFi dongle)
WPG-300 (HDMI-MHL WiFi

dongle)

WPD-100 (USB WiFi dongle)

WPG-370 (wireless

presentation box)

NA

NA

NA

NA Yes

Languages

On Screen Display

English, French, Spanish, Thai, Korean, German, Italian, Russian, Swedish, Dutch, Polish, Czech, T-Chinese, S-Chinese, Japanese, Turkish Portuguese, Finnish, Indonesian, Indian, Arabic, Vietnamese

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at www.viewsoniceurope.com

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.